

# Product Notice No.: 0183

## Enhanced Open Solution Network (OSN) Server Offering for Mediant 800 and Mediant 1000B

### Notice Subject:

AudioCodes introduces additional OSN servers offering for Mediant 800 and Mediant 1000B.

### Notice Date:

July 1, 2013

### Notice Effective Date:

July 1, 2013

### Notice Details:

AudioCodes has introduced new additional Open Solution Network (OSN) server offerings for its Mediant 800 and Mediant 1000B series (VoIP Gateway, E-SBC, and MSBR) products. AudioCodes recognizes a growing need in the market for hosting advanced third-party applications such as IP PBXs that require powerful server capabilities. Consequently, AudioCodes has now added the power-driven **OSN4** platform to its OSN offerings, which is based on the following high-powered central processing unit (CPU):

- Mediant 800: 3<sup>rd</sup> Generation Intel® Core™ i7 Quad-Core
- Mediant 1000B: Intel Core i7-3555LE Dual-Core 2.5 GHz

The tables below provide a complete list of AudioCodes' rich offering of OSN platforms, including the new OSN4, for the Mediant 800 and Mediant 1000B series:

**Mediant 800 OSN Server Family Comparison**

OSN	CPU	Memory	Storage	Interfaces
OSN1	Atom 1.5 GHz	1 or 2G	HDD 500G	<ul style="list-style-type: none"><li>• Two external Gigabit Ethernet</li><li>• Internal Gigabit Ethernet</li><li>• Three USB 2.0 via Connection</li></ul>

OSN	CPU	Memory	Storage	Interfaces
				Module <ul style="list-style-type: none"> <li>VGA</li> </ul>
<b>OSN2</b>	2 <sup>nd</sup> Generation Intel Core Celeron 1.6 GHz	2 or 4G	HDD 500G	<ul style="list-style-type: none"> <li>Two external Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>Three USB 2.0 via Connection Module</li> <li>VGA</li> </ul>
<b>OSN3</b>	Intel Dual Core i7 -2610UE (2x 1.5 GHz)	16G	HDD 500G or SSD 240G	<ul style="list-style-type: none"> <li>Two external Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>Three USB 2.0 via Connection Module</li> <li>VGA</li> </ul>
<b>OSN4</b>	3 <sup>rd</sup> Generation Intel Core i7 Quad Core	16 GB ECC DDR3	HDD 500G or SSD 240G	<ul style="list-style-type: none"> <li>Two external Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>Three USB 2.0 via Connection Module</li> <li>VGA</li> </ul>
<b>OSN5</b>	Intel Atom N2800 1.86 GHz Dual Core	2G	HDD 500G	<ul style="list-style-type: none"> <li>External Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>Three USB 2.0 via Connection Module</li> <li>VGA</li> </ul>

### Mediant 1000B OSN Server Family Comparison

OSN	CPU	Memory	Storage	Interfaces
<b>OSN3</b>	Intel Core 2 Duo 1.5 GHz	2 or 4G DDR2 with ECC	Up to 2 hard drives: HDD 500G or SSD 240G	<ul style="list-style-type: none"> <li>External Ethernet Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>USB 2.0</li> <li>RS-232 COM</li> </ul>
<b>OSN4</b>	Intel i7-3555LE Dual Core 2.5 GHz	8G DDR3 with ECC	Up to 2 hard drives: HDD 500G or SSD 240G	<ul style="list-style-type: none"> <li>Two external Gigabit Ethernet</li> <li>Internal Gigabit Ethernet</li> <li>USB 2.0</li> <li>RS-232 COM</li> <li>HDMI Graphic</li> </ul>

### Affected Product Family and Part Numbers:

The OSN4 is available as Spare Parts (i.e., a separate orderable item) for Mediant 1000B. The Product Number (P/N) is M1KB-OSN4-8G, and can be ordered with M1KB-HDD-SSD and M1KB-HDD.

The Mediant 800 is not a modular device and thus, for available configurations, please contact your AudioCodes sales representative.



**Note:** The OSN pricing of the OSN platforms will be available in the next Price Book.