Reference Guide

AudioCodes One Voice for Microsoft Teams and Skype for Businesses

User Management Pack™ 365 REST API

Version 8.0.0

User Management Pack 365
Hybrid Cloud Simplicity

audiocodes

Table of Contents

1 Introduction 7

1.1 Supported Products 7

2 UMP REST API Definitions 9

2.1 API Syntax 9

2.1.1 HTTP Verbs 9
2.1.2 Format 9
2.1.3 Successful API Call 9
2.1.4 Error Response 9
2.1.5 Authentication 9

2.2 REST Definitions 10

2.2.1 System API Calls 10
2.2.1.1 Read UMP License Information 10
2.2.1.2 Read UMP System Information 10
2.2.1.3 Read Skype Registrar Pools 11
2.2.1.4 Read Available Call Pickup Group Numbers 12
2.2.1.5 Read Available Number Ranges 12
2.2.1.6 Read Skype for Business SIP Domains 13

2.2.2 User API Calls 14
2.2.2.1 Read All Users From the System 14
2.2.2.2 Get Detailed Information for an Individual User 14
2.2.2.3 Update an Individual User 16

2.2.3 UMP SP Edition API 19
2.2.3.1 ApiLicense Post 19
2.2.3.2 ApiLicense GET 19
2.2.3.3 Commit License 20
2.2.3.4 ApiO365 21
2.2.3.5 ApiO365 22
2.2.3.6 Identity 23
2.2.3.7 Queue 23
2.2.3.8 Tenant 23
2.2.3.9 Post Tenant 25
2.2.3.10 GET Tenant id 25
2.2.3.11 Delete Tenant 26
2.2.3.12 PUT Tenant id 27
2.2.3.13 Deploy Tenant ID 28
2.2.3.14 Enabled Voice Users Count for Tenant id 28
2.2.3.15 GET CsOnline Users 29
2.2.3.16 GET CsOnline Users {uid} 32
2.2.3.17 TenantMain 36
2.2.3.18 TenantMain Version 36

This page is intentionally left blank.

Notice

Information contained in this document is believed to be accurate and reliable at the time of printing. However, due to ongoing product improvements and revisions, AudioCodes cannot guarantee accuracy of printed material after the Date Published nor can it accept responsibility for errors or omissions. Updates to this document can be downloaded from https://www.audiocodes.com/library/technical-documents.

This document is subject to change without notice.

Date Published: May-31-2020

WEEE EU Directive

Pursuant to the WEEE EU Directive, electronic and electrical waste must not be disposed of with unsorted waste. Please contact your local recycling authority for disposal of this product.

Customer Support

Customer technical support and services are provided by AudioCodes or by an authorized AudioCodes Service Partner. For more information on how to buy technical support for AudioCodes products and for contact information, please visit our website https://www.audiocodes.com/services-support/maintenance-and-support.

Stay in the Loop with AudioCodes

Abbreviations and Terminology

Each abbreviation, unless widely used, is spelled out in full when first used.

Related Documentation

Document Name
AudioCodes User Management Pack 365 Release Notes
AudioCodes User Management Pack 365 Installation and Administration Guide

Document Revision Record

LTRT	Description
26573	Initial document release for Version 8.0.0
26574	Added UMP SP Edition – Multi-tenant commands

Documentation Feedback

AudioCodes continually strives to produce high quality documentation. If you have any comments (suggestions or errors) regarding this document, please fill out the Documentation Feedback form on our website at https://online.audiocodes.com/documentation-feedback.

1 Introduction

User Management Pack 365 (UMP 365) is a software application for managing Microsoft Teams and Skype for Business users on premises or in a Cloud PBX environment.

This document describes the HTTP/S Application Programming Interfaces (API) possibilities for communication through UMP towards Skype for Business and Teams environments. All the interfaces are RESTful.

For more information on Representational State Transfer (REST), refer to http://en.wikipedia.org/wiki/Representational_state_transfer.

1.1 Supported Products

The following products are supported:

- User Management Pack 365 ENT Edition
- User Management Pack 365 SP Edition

This page is intentionally left blank.

2 UMP REST API Definitions

This section describes the UMP REST API definitions.

2.1 API Syntax

Access URL **http:///*localhost*/sysadmin/api/**

2.1.1 HTTP Verbs

The API uses the HTTP method type according to the REST pattern:

- **GET:** Used for actions that get data from the server
- **POST:** Used to create data in the server
- **PUT:** Used to update data in the server
- **DELETE:** Used to delete data from the server.

2.1.2 Format

Parameters need to be in JavaScript Object Notation (JSON) format. The response is also in JSON format. Special characters in the URL query are URL-encoded.

2.1.3 Successful API Call

A successful response occurs when the response status is in range of 200-299.

2.1.4 Error Response

When an error occurs, the service returns any status not in the range of 200-299.

If the server is down, the client won't receive any responses.

2.1.5 Authentication

In the current release, the need for an authentication token is not implemented.

2.2 REST Definitions

This section describes the following API Calls:

- System API Calls
- User API Calls

2.2.1 System API Calls

The following describes the System API Calls.

2.2.1.1 Read UMP License Information

API Call

GET http://localhost/sysadmin/api/license

JSON Response

Returns the license details, including the number of licenses available.

Example


```
{
        "InUseCceUsers": 2,
        "Customer": "QA001",
        "PoNum": "",
        "OrderNum": "",
        "ProductKey": "",
        "Expired": "2020-03-31",
        "CBUsers": 1000,
        "VMMailBox": 0,
        "CBSTDSys": 0,
        "CBSTDSysPair": 0,
        "CBProSys": 0,
        "CBProSysPair": 0,
         "CBENTSys": 0,
         "CBENTSysPair": 0,
         "MachineID": "ff480e9e-9eec-4f63-9acc-cad12df3f7fd"
}
```


2.2.1.2 Read UMP System Information

API Call

GET http://localhost/sysadmin/api/sysinfo

JSON Response

Returns the system information of the operating system and application version.

Example


```
{
   "ServerName": "UMP-QA.ocshost.nl",
```

```
    "Domain": "ocshost.nl",
    "LastBootTime": "29/01/2020 18:07",
    "OSVersion": "Microsoft Windows Server 2016 Standard",
    "WebAdminVersion": "8.0.0.413",
    "SBAConfigVersion": "SBAConfigVersion"
}
```


2.2.1.3 Read Skype Registrar Pools

API Call

GET http://localhost/sysadmin/api/proxy/registrarpools

JSON Response

Returns the registrar pools available in Skype for Business.

Example


```
[
  {
    "Identity": "acs-s4b.ocshost.nl",
    "ReplicationTicks": 0
  },
  {
    "Identity": "m800-fe.ocshost.nl",
    "ReplicationTicks": 0
  },
  {
    "Identity": "sfb-ws2019-fe1.ocshost.nl",
    "ReplicationTicks": 0
  }
]
```

2.2.1.4 Read Available Call Pickup Group Numbers

API Call

GET http://localhost/sysadmin/api/proxy/callpickupgroup/number/

JSON Response

Returns the call pickup groups available in Skype for Business.

Example


```
{
  "rows": [
    {
      "Id": 1,
      "Num": "#409",
      "Identity": "training",
      "Value": "409_test"
    }
  ]
}
```


2.2.1.5 Read Available Number Ranges

API Call

GET http://localhost/sysadmin/api/numberrange

JSON Response

Returns the number ranges available for number assignment, including a counter of available numbers within the range.

Example


```
"rows": [
    {
      "NumbersAvailable": 10,
      "Identity": "MsPhoneSystem(EMEA-NL-ALL-FL_AL)",
      "AnnouncementServerFqdn": "",
      "AnnouncementName": "",
      "AnnouncementServiceId": "",
      "AnnouncementId": "",
      "NumberRangeStart": "",
      "NumberRangeEnd": "",
      "Priority": "0",
      "ReplicationTicks": 0,
      "NumberRangeType": "MsPhoneSystem"
    },
    {
      "NumbersAvailable": 17,
      "Identity": "Service:ApplicationServer:m800-fe.ocshost.nl/41258",
      "AnnouncementServerFqdn": "m800-fe.ocshost.nl",
      "AnnouncementName": "test12345",
```

```
            "AnnouncementServiceId": "ApplicationServer:m800-fe.ocshost.nl",
            "AnnouncementId": "412583fd-238b-4536-bff4-e5d49e0b275e",
            "NumberRangeStart": "tel:+311111120",
            "NumberRangeEnd": "tel:+311111140",
            "Priority": "0",
            "ReplicationTicks": 0,
            "NumberRangeType": "SkypeOnPrem"
        }
    ]
}
```


2.2.1.6 Read Skype for Business SIP Domains

API Call

GET http://localhost/sysadmin/api/signindomain

JSON Response

Returns the SIP domains available in Skype for Business.

Example


```
[
    {
        "Text": "audiocodes.com",
        "Value": "audiocodes.com"
    },
    {
        "Text": "hostlync.com",
        "Value": "hostlync.com"
    }
]
```

2.2.2 User API Calls

The following describes the User API Calls.

2.2.2.1 Read All Users From the System

API Call

POST http://localhost/sysadmin/api/proxy/endpoint/list

JSON Response

Returns all users with a subset of the data.

Example


```
"Total": 184,
  "Data": [
    {
      "Identity": "CN=wvanschaik,OU=acs,DC=ocshost,DC=nl",
      "Status": "Online",
      "CallForward": "Off",
      "Department": R&D,
      "WebName": "Walter van Schaik",
      "LineURI": "tel:+31365461212",
      "UserType": "HybridOnPrem",
      "SipAddress": "sip:walter.vanschaik@audiocodes.com",
      "UsageLocation": "NL",
      "HybridPstnSiteName": "",
      "RegistrarPool": " sfb-ws2019-fe1.ocshost.nl ",
      "ObjectId": "004EE6AF-76F0-4419-A23B-A5DC9CE07E8A",
      "PsCount": 0,
      "IsManaged": null
    }
```


2.2.2.2 Get Detailed Information for an Individual User

API Call

GET http://localhost/sysadmin/api/proxy/endpoint/sip:wvanschaik@audiocodes.com

JSON Response

Returns all detailed parameters from an individual user.

Example


```
{
  "Identity": "CN=WvanSchaik,OU=acs,DC=ocshost,DC=nl",
  "Enabled": true,
  "IsAdEnabled": false,
  "SamAccountName": "WSC",
  "SipAddress": "sip:walter.vanschaik@audiocodes.com",
  "UserPrincipalName": "walter.vanschaik@audiocodes.com",
  "HostingProvider": "SRV:",
  "DisplayName": "Walter van Schaik - AudioCodes",
```

```
    "VoicePolicy": "International",
    "VoiceRoutingPolicy": null,
    "ConferencingPolicy": "Conf-EnterpriseCAL",
    "PresencePolicy": null,
    "DialPlan": "LyncAlmere.activevoice.lan",
    "LocationPolicy": null,
    "ClientPolicy": "AbsWebSearchOnly",
    "ClientVersionPolicy": null,
    "ArchivingPolicy": null,
    "ExchangeArchivingPolicy": null,
    "PinPolicy": null,
    "ExternalAccessPolicy": null,
    "MobilityPolicy": null,
    "PersistentChatPolicy": null,
    "UserServicesPolicy": null,
    "HostedVoiceMail": false,
    "HostedVoicemailPolicy": "ACS-O365UM",
    "RegistrarPool": "sfb-ws2019-fe1.ocshost.nl",
    "LineURI": " tel:+31365461212",
    "PrivateLine": "",
    "EnterpriseVoiceEnabled": true,
    "ExUmEnabled": false,
    "HomeServer": null,
    "OriginatorSidTxt": "S-1-5-21-403475319-2433425353-2190592921-1133",
    "OriginatorGuid": "18d91528-1f19-4d01-9537-c7889c9d5c56",
    "OriginatorDn": "CN=Walter van Schaik,OU=AC-No-Policy,DC=ActiveVoice,DC=lan",
    "ObjectGuid": "bad0a1ae-ad37-441f-a551-6a536f0fdc36",
    "WindowsEmailAddress": "WvanSchaik@ActiveCommunications.eu",
    "WhenCreated": "2019-08-28T01:02:15",
    "WhenChanged": "2020-02-05T15:30:02",
    "GroupingId": "18d91528-1f19-4d01-9537-c7889c9d5c56",
    "CallPickupGroup": #408,
    "SidTxt": "S-1-5-21-2174285779-1354194355-1328848920-30409",
    "ReplicationTicks": 637165152094732009,
    "IsManaged": null,
    "Department": null,
    "FirstName": null,
    "LastName": null,
    "City": null,
    "Company": null,
    "PostalCode": null,
    "StreetAddress": null,
    "StateOrProvince": null,
    "Office": null,
    "Manager": null,
    "PsCount": 0,
    "UserType": "HybridOnPrem"
}
```

2.2.2.3 Update an Individual User

API Call

PUT
http://localhost/sysadmin/api/proxy/endpoint/sip:walter.vanschaik@audiocodes.com/script

JSON Response

Sends a JSON formatted body message to update an attribute.

Example 1

The following example updates the display name for the user sip:walter.vanschaik@audiocodes.com.



Example 2 – Update the LineURI (DID / Telephone #)

The following example updates the LineURI number for the user sip:walter.vanschaik@audiocodes.com.



Example 3 – Update the LineURI (DID / Telephone #)

The following example updates the enable Enterprise Voice with Voice Policy, Dialplan, LineURI and private line for an On-premises user sip:walter.vanschaik@audiocodes.com.



The following are the supported attributes to be updated in the JSON structure:

Attribute	Value
FirstName	String
LastName	String
City	String
Department	String
Office	String
PostalCode	String
StateOrProvince	String
StreetAddress	String
UsageLocation	A valid ISO 3166-1 alpha-2 country code. (e.g., US for the United States, and FR for France)
ClientPolicy	Name of the policy to assign
ConferencingPolicy	Name of the policy to assign
HostedVoiceMail	True / False
PinPolicy	Name of the policy to assign
ExternalAccessPolicy	Name of the policy to assign
HostedVoicemailPolicy	Name of the policy to assign
MobilityPolicy	Name of the policy to assign
EnterpriseVoiceEnabled	True / False
VoicePolicy	Name of the policy to assign
DialPlan	Name of the dial plan to assign
LineURI	Telephone number in E164 format preceded by Tel: (e.g., Tel:+31365461212)
PrivateLine	Telephone number in E164 format preceded by Tel: (e,g,, Tel:+31365461212)
CallPickupGroup	Call pickup group number like #409
GroupingId	GUID (like ad4376fb-ca3a-418a-ba2a-b848442af2b4)

If multiple values must be updated at once, they should be separated by a comma as shown in the following example:

{"EnterpriseVoiceEnabled":true,"VoicePolicy":"International","DialPlan":"LyncAlmere.activevoice.lan","LineURI":"tel:+3100000102","PrivateLine":"tel:+3100000201"}

2.2.3 UMP SP Edition API

The following describes the UMP SP Edition (UMP Multi-tenant Manager).

Note: This section is not applicable to the UMP ENT Edition.

2.2.3.1 ApiLicense Post

ApiLicense

POST/api/ems/license/authenticate

JSON Response

Responses

Code: 200
Description: Success
Links: No links

2.2.3.2 ApiLicense GET

API Call

GET/api/ems/license

JSON Response

Responses

Code:
Description: Success
Links:

Example

{
  ""cloudBoundVer": "string",
 "usersCount": 0,

"lyncVersion": "string",
"systemID": "string"
}

2.2.3.3 Commit License

API Call

POST/api/ems/license/commitLicense

JSON Response

Responses

Code:	200
Description:	Success
Links:	No links

Example

[
{
systemID": "string",
"license": "string"
}
]

2.2.3.4 ApiO365

API Call

PUT/SysAdmin/{tenantId}/api/o365/save

JSON Response

Name	Description
tenantId * string (path)	

Request Body

UserName
string
Password
string
SecurePassword.Length
integer($int32)
OverrideAdminDomain
string
LyncOnlineHost
string
MigrationOverrideUrl
string
DeleteEnabled
boolean
SharepointAdminUrl
string

Responses

Code:	200
Description:	Success
Links:	No links

2.2.3.5 ApiO365

API Call

GET/SysAdmin/{tenantId}/api/o365

JSON Response

Name	Description
tenantId * string (path)	

Responses

Code:	200
Description:	Success
Links:	No links

2.2.3.6 Identity

API Call
GET/identity

Responses

Code: 200
Description: Success
Links: No links

2.2.3.7 Queue

POST/api/Queue/{id}

JSON Response

Name	Description
id * string (path)	

Responses

Code: 200
Description: Success
Links: No links

2.2.3.8 Tenant

API Call
GET/api/v1/Tenant

JSON Response
Returns all tenant IDs from the database.

Responses

Code: 200
Description: Success
Links: No links

Example


```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "createdBy": "string",
  "customerId": "string",
  "deploymentState": 0,
  "sysAdminDeploymentState": 0,
  "sbcDeploymentState": 0,
  "hasSbc": true,
  "sysAdmin": {
    "connectionString": "string",
    "umpAdmin": "string",
    "umpPassword": "string",
    "o365UserName": "string",
    "o365Password": "string",
    "o365VerifiedPassword": true,
    "o365OverrideAdminDomain": "string",
    "o365OnlinePSTNGateway": "string",
    "o365SipSignalingPort": 0,
    "o365SharepointAdminUrl": "string",
    "cloudSrvAppPort": 0,
    "cacheSrvAppPort": 0,
    "deploymentState": 0,
    "licensedUsers": 0,
    "activeUsers": 0
  },
  "sbc": {
    "sbcId": 0,
    "sbcUser": "string",
    "sbcPassword": "string",
    "oampIpAddress": "string",
    "connectionType": "string",
    "sipInterfacesName": "string",
    "localHostname": "string",
    "tagsName": "string",
    "cacProfile": "string",
    "dialPlanName": "string",
    "enableCAC": true,
    "deploymentState": 0,
    "proxyName": "string",
    "ipGroupName": "string",
    "phones": [
      "string"
    ]
}
```

2.2.3.9 Post Tenant

API Call

POST/api/v1/Tenant

JSON Response

Responses

Code: 200
Description: Success
Links: No links

2.2.3.10 GET Tenant id

API Call

GET/api/v1/Tenant/{id}

JSON Response

Returns all tenant IDs from the database.

Responses

Code:
Description: Success
Links:

Example


```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "createdBy": "string",
  "customerId": "string",
  "deploymentState": 0,
  "sysAdminDeploymentState": 0,
  "sbcDeploymentState": 0,
  "hasSbc": true,
  "sysAdmin": {
    "connectionString": "string",
    "umpAdmin": "string",
    "umpPassword": "string",
    "o365UserName": "string",
    "o365Password": "string",
```

```
    "o365VerifiedPassword": true,
    "o365OverrideAdminDomain": "string",
    "o365OnlinePSTNGateway": "string",
    "o365SipSignalingPort": 0,
    "o365SharepointAdminUrl": "string",
    "cloudSrvAppPort": 0,
    "cacheSrvAppPort": 0,
    "deploymentState": 0,
    "licensedUsers": 0,
    "activeUsers": 0
  },
  "sbc": {
    "sbcId": 0,
    "sbcUser": "string",
    "sbcPassword": "string",
    "oampIpAddress": "string",
    "connectionType": "string",
    "sipInterfacesName": "string",
    "localHostname": "string",
    "tagsName": "string",
    "cacProfile": "string",
    "dialPlanName": "string",
    "enableCAC": true,
    "deploymentState": 0,
    "proxyName": "string",
    "ipGroupName": "string",
    "phones": [
      "string"
    ]
}
```


2.2.3.11 Delete Tenant

API Call

DELETE/api/v1/Tenant/{id}

JSON Response

Deletes tenant IDs from the database.

Responses

Code:	200
Description:	Success
Links:	No links

2.2.3.12 PUT Tenant id

API Call

PUT/api/v1/Tenant/{id}/ump/deploymentstate

JSON Response

Change deployment state in database

Responses

Code:

Description: Success

Links:

Example


```
{
   "connectionString": "string",
  "umpAdmin": "string",
  "umpPassword": "string",
  "o365UserName": "string",
  "o365Password": "string",
  "o365VerifiedPassword": true,
  "o365OverrideAdminDomain": "string",
  "o365OnlinePSTNGateway": "string",
  "o365SipSignalingPort": 0,
  "o365SharepointAdminUrl": "string",
  "cloudSrvAppPort": 0,
  "cacheSrvAppPort": 0,
  "deploymentState": 0,
  "licensedUsers": 0,
  "activeUsers": 0
}
```

2.2.3.13 Deploy Tenant ID

API Call

POST/api/v1/Tenant/{id}/deploy

JSON Response

Deploy state in database

Responses

Code: 200
Description: Success
Links: No links

2.2.3.14 Enabled Voice Users Count for Tenant id

API Call

GET/api/v1/Tenant/{id}/ump/ActiveUsers

JSON Response

Get the active Enabled Voice users count for a particular tenant.

Responses

Code:
Description: Success
Links:

Example


```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3":
}
```

2.2.3.15 GET CsOnline Users

API Call

GET/api/v1/Tenant/{id}/ump/user

JSON Response

Lists all CsOnline users for this tenant.

Responses

Code:
Description: All CsOnline users
Links:

Example


```
{
  "{
    "userAccountControl": "string",
    "id": "string",
    "countryAbbreviation": "string",
    "countryOrRegionDisplayName": "string",
    "company": "string",
    "department": "string",
    "description": [
      {}
    ],
    "fax": "string",
    "homePhone": "string",
    "ipPhone": "string",
    "city": "string",
    "manager": "string",
    "mobilePhone": "string",
    "originatorSid": "string",
    "otherTelephone": [
      {}
    ],
    "office": "string",
    "postalCode": "string",
    "preferredLanguage": "string",
    "puid": "string",
    "serviceInfo": [
      {}
    ],
    "stateOrProvince": "string",
    "street": "string",
    "streetAddress": "string",
    "thumbnailPhoto": "string",
    "title": "string",
```

"phone": "string",
"webPage": "string",
"adminDescription": "string",
"assignedPlan": "string",
"interpretedUserType": "string",
"alias": "string",
"baseSimpleUrl": "string",
"dirSyncEnabled": true,
"objectId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"usageLocation": "string",
"hideFromAddressLists": true,
"onPremHideFromAddressLists": true,
"provisionedPlan": "string",
"provisioningStamp": "string",
"upgradeRetryCounter": 0,
"syncingCounter": "string",
"provisioningCounter": 0,
"subProvisioningCounter": 0,
"publishingStamp": "string",
"publishingCounter": 0,
"onPremHostingProvider": "string",
"onPremOptionFlags": 0,
"onPremSipEnabled": true,
"onPremSipAddress": "string",
"onPremLineURI": "string",
"sipProxyAddress": "string",
"serviceInstance": "string",
"softDeletionTimestamp": "2020-04-17T14:44:34.462Z",
"licenseRemovalTimestamp": "2020-04-17T14:44:34.462Z",
"lastSyncTimeStamp": "2020-04-17T14:44:34.462Z",
"lastProvisionTimeStamp": "2020-04-17T14:44:34.462Z",
"lastPublishTimeStamp": "2020-04-17T14:44:34.462Z",
"lastSubProvisionTimeStamp": "2020-04-17T14:44:34.462Z",
"ownerUrn": "string",
"contactOptionFlags": "string",
"onlineDialinConferencingPolicy": "string",
"pendingDeletion": true,
"overridePreferredDataLocation": "string",
"preferredDataLocation": "string",
"subProvisionLineType": 0,
"userProvisonType": "string",
"samAccountName": "string",
"userPrincipalName": "string",
"firstName": "string",
"lastName": "string",
"windowsEmailAddress": "string",
"sid": "string",
"lineServerURI": "string",
"audioVideoDisabled": true,
"ippbxSoftPhoneRoutingEnabled": true,
"remoteCallControlTelephonyEnabled": true,
"privateLine": "string",
"originalPreferredDataLocation": "string",
"hostedVoiceMail": true,
"displayName": "string",
"proxyAddresses": [
{}

```
],
"homeServer": "string",
"targetServerIfMoving": "string",
"enterpriseVoiceEnabled": true,
"enabledForRichPresence": true,
"exchangeArchivingPolicy": "string",
"nonPrimaryResource": true,
"mncReady": true,
"onPremLineURIManuallySet": true,
"optionFlags": 0,
"lineURI": "string",
"sipAddress": "string",
"enabled": true,
"tenantId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"userRoutingGroupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"targetRegistrarPool": "string",
"voicePolicy": "string",
"callingLineIdentity": "string",
"mobilityPolicy": "string",
"conferencingPolicy": "string",
"broadcastMeetingPolicy": "string",
"cloudMeetingPolicy": "string",
"cloudMeetingOpsPolicy": "string",
"onlineVoicemailPolicy": "string",
"presencePolicy": "string",
"voiceRoutingPolicy": "string",
"onlineVoiceRoutingPolicy": "string",
"registrarPool": "string",
"dialPlan": "string",
"tenantDialPlan": "string",
"ipPhonePolicy": "string",
"locationPolicy": "string",
"clientPolicy": "string",
"clientVersionPolicy": "string",
"archivingPolicy": "string",
"legalInterceptPolicy": "string",
"pinPolicy": "string",
"callViaWorkPolicy": "string",
"graphPolicy": "string",
"externalAccessPolicy": "string",
"hostedVoicemailPolicy": "string",
"persistentChatPolicy": "string",
"userServicesPolicy": "string",
"experiencePolicy": "string",
"xForestMovePolicy": "string",
"preferredDataLocationOverwritePolicy": "string",
"addressBookPolicy": "string",
"smsServicePolicy": "string",
"externalUserCommunicationPolicy": "string",
"thirdPartyVideoSystemPolicy": "string",
"cloudVideoInteropPolicy": "string",
"hostingProvider": "string",
"exUmEnabled": true,
"name": "string",
"distinguishedName": "string",
"identity": "string",
```

```
    "guid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "objectCategory": "string",
    "objectClass": [
      {}
    ],
    "whenChanged": "2020-04-17T14:44:34.462Z",
    "whenCreated": "2020-04-17T14:44:34.462Z",
    "originatingServer": "string",
    "isByPassValidation": true,
    "isValid": true,
    "objectState": "string",
    "teamsCallingPolicy": "string",
    "teamsInteropPolicy": "string",
    "teamsUpgradeEffectiveMode": "string",
    "teamsMeetingPolicy": "string",
    "teamsMessagingPolicy": "string",
    "teamsUpgradePolicy": "string",
    "teamsCortanaPolicy": "string",
    "teamsOwnersPolicy": "string",
    "teamsMeetingBroadcastPolicy": "string",
    "teamsVideoInteropServicePolicy": "string",
    "teamsWorkLoadPolicy": "string",
    "teamsCallParkPoliciy": "string",
    "teamsChannelsPolicy": "string",
    "teamsComplianceRecordingPolicy": "string",
    "teamsEmergencyCallRoutingPolicy": "string",
    "teamsEmergencyCallingPolicy": "string",
    "teamsVerticalPackagePolicy": "string",
    "teamsFeedbackPolicy": "string",
    "teamsIPPhonePolicy": "string",
    "mcoValidationError": "string",
    "allowInternationalCalls": true,
    "hybridPstnSiteName": "string",
    "hybridPstnSiteFqdn": "string",
    "whenSynced": "2020-04-17T14:44:34.462Z",
    "isManaged": true
  }:
}
```


2.2.3.16 GET CsOnline Users {uid}

API Call

GET/api/v1/Tenant/{id}/ump/user/{uid}

JSON Response

id *

string

(path)

uid *

string

(path) .

Responses

Code:
Description: All CsOnline users
Links:

Example


```
{
"userAccountControl": "string",
  "id": "string",
  "countryAbbreviation": "string",
  "countryOrRegionDisplayName": "string",
  "company": "string",
  "department": "string",
  "description": [
    {}
  ],
  "fax": "string",
  "homePhone": "string",
  "ipPhone": "string",
  "city": "string",
  "manager": "string",
  "mobilePhone": "string",
  "originatorSid": "string",
  "otherTelephone": [
    {}
  ],
  "office": "string",
  "postalCode": "string",
  "preferredLanguage": "string",
  "puid": "string",
  "serviceInfo": [
    {}
  ],
  "stateOrProvince": "string",
  "street": "string",
  "streetAddress": "string",
  "thumbnailPhoto": "string",
  "title": "string",
  "phone": "string",
  "webPage": "string",
  "adminDescription": "string",
  "assignedPlan": "string",
  "interpretedUserType": "string",
  "alias": "string",
  "baseSimpleUrl": "string",
  "dirSyncEnabled": true,
  "objectId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "usageLocation": "string",
  "hideFromAddressLists": true,
  "onPremHideFromAddressLists": true,
  "provisionedPlan": "string",
```

"provisioningStamp": "string",
"upgradeRetryCounter": 0,
"syncingCounter": "string",
"provisioningCounter": 0,
"subProvisioningCounter": 0,
"publishingStamp": "string",
"publishingCounter": 0,
"onPremHostingProvider": "string",
"onPremOptionFlags": 0,
"onPremSipEnabled": true,
"onPremSipAddress": "string",
"onPremLineURI": "string",
"sipProxyAddress": "string",
"serviceInstance": "string",
"softDeletionTimestamp": "2020-04-17T14:44:34.471Z",
"licenseRemovalTimestamp": "2020-04-17T14:44:34.471Z",
"lastSyncTimeStamp": "2020-04-17T14:44:34.471Z",
"lastProvisionTimeStamp": "2020-04-17T14:44:34.471Z",
"lastPublishTimeStamp": "2020-04-17T14:44:34.471Z",
"lastSubProvisionTimeStamp": "2020-04-17T14:44:34.471Z",
"ownerUrn": "string",
"contactOptionFlags": "string",
"onlineDialinConferencingPolicy": "string",
"pendingDeletion": true,
"overridePreferredDataLocation": "string",
"preferredDataLocation": "string",
"subProvisionLineType": 0,
"userProvisonType": "string",
"samAccountName": "string",
"userPrincipalName": "string",
"firstName": "string",
"lastName": "string",
"windowsEmailAddress": "string",
"sid": "string",
"lineServerURI": "string",
"audioVideoDisabled": true,
"ippbxSoftPhoneRoutingEnabled": true,
"remoteCallControlTelephonyEnabled": true,
"privateLine": "string",
"originalPreferredDataLocation": "string",
"hostedVoiceMail": true,
"displayName": "string",
"proxyAddresses": [
  {}
],
"homeServer": "string",
"targetServerIfMoving": "string",
"enterpriseVoiceEnabled": true,
"enabledForRichPresence": true,
"exchangeArchivingPolicy": "string",
"nonPrimaryResource": true,
"mncReady": true,
"onPremLineURIManuallySet": true,
"optionFlags": 0,
"lineURI": "string",
"sipAddress": "string",
"enabled": true,

"tenantId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"userRoutingGroupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"targetRegistrarPool": "string",
"voicePolicy": "string",
"callingLineIdentity": "string",
"mobilityPolicy": "string",
"conferencingPolicy": "string",
"broadcastMeetingPolicy": "string",
"cloudMeetingPolicy": "string",
"cloudMeetingOpsPolicy": "string",
"onlineVoicemailPolicy": "string",
"presencePolicy": "string",
"voiceRoutingPolicy": "string",
"onlineVoiceRoutingPolicy": "string",
"registrarPool": "string",
"dialPlan": "string",
"tenantDialPlan": "string",
"ipPhonePolicy": "string",
"locationPolicy": "string",
"clientPolicy": "string",
"clientVersionPolicy": "string",
"archivingPolicy": "string",
"legalInterceptPolicy": "string",
"pinPolicy": "string",
"callViaWorkPolicy": "string",
"graphPolicy": "string",
"externalAccessPolicy": "string",
"hostedVoicemailPolicy": "string",
"persistentChatPolicy": "string",
"userServicesPolicy": "string",
"experiencePolicy": "string",
"xForestMovePolicy": "string",
"preferredDataLocationOverwritePolicy": "string",
"addressBookPolicy": "string",
"smsServicePolicy": "string",
"externalUserCommunicationPolicy": "string",
"thirdPartyVideoSystemPolicy": "string",
"cloudVideoInteropPolicy": "string",
"hostingProvider": "string",
"exUmEnabled": true,
"name": "string",
"distinguishedName": "string",
"identity": "string",
"guid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"objectCategory": "string",
"objectClass": [
  {}
],
"whenChanged": "2020-04-17T14:44:34.471Z",
"whenCreated": "2020-04-17T14:44:34.471Z",
"originatingServer": "string",
"isByPassValidation": true,
"isValid": true,
"objectState": "string",
"teamsCallingPolicy": "string",
"teamsInteropPolicy": "string",

```
    "teamsUpgradeEffectiveMode": "string",
    "teamsMeetingPolicy": "string",
    "teamsMessagingPolicy": "string",
    "teamsUpgradePolicy": "string",
    "teamsCortanaPolicy": "string",
    "teamsOwnersPolicy": "string",
    "teamsMeetingBroadcastPolicy": "string",
    "teamsVideoInteropServicePolicy": "string",
    "teamsWorkLoadPolicy": "string",
    "teamsCallParkPoliciy": "string",
    "teamsChannelsPolicy": "string",
    "teamsComplianceRecordingPolicy": "string",
    "teamsEmergencyCallRoutingPolicy": "string",
    "teamsEmergencyCallingPolicy": "string",
    "teamsVerticalPackagePolicy": "string",
    "teamsFeedbackPolicy": "string",
    "teamsIPPhonePolicy": "string",
    "mcoValidationError": "string",
    "allowInternationalCalls": true,
    "hybridPstnSiteName": "string",
    "hybridPstnSiteFqdn": "string",
    "whenSynced": "2020-04-17T14:44:34.471Z",
    "isManaged": true
  }
}
```


2.2.3.17 TenantMain

API Call

GET/api/tenant/CheckUniqueCustomer

JSON Response

Checks the unique customer.

Responses

Code:	200
Description:	Success
Links:	No links

2.2.3.18 TenantMain Version

API Call

GET/api/tenant/version

JSON Response

Checks the tenant main version.

Responses

Code:	200
Description:	Success
Links:	No links

Schemas

User

LicenseInfo

OvocLicense

DeploymentState

SysAdminInfo

SBCInfo

TenantConfigurationUi

ProblemDetails

CsOnlineUser

International Headquarters
1 Hayarden Street,
Airport City
Lod 7019900, Israel
Tel: +972-3-976-4000
Fax: +972-3-976-4040

AudioCodes Inc.
200 Cottontail Lane
Suite A101E
Somerset NJ 08873
Tel: +1-732-469-0880
Fax: +1-732-469-2298

Contact us: https://www.audiocodes.com/corporate/offices-worldwide
Website: https://www.audiocodes.com/

©2020 AudioCodes Ltd. All rights reserved. AudioCodes, AC, HD VoIP, HD VoIP Sounds Better, IPmedia, Mediant, MediaPack, What's Inside Matters, OSN, SmartTAP, User Management Pack, VMAS, VoIPerfect, VoIPerfectHD, Your Gateway To VoIP, 3GX, VocaNom, AudioCodes One Voice, AudioCodes Meeting Insights, AudioCodes Room Experience and CloudBond are trademarks or registered trademarks of AudioCodes Limited. All other products or trademarks are property of their respective owners. Product specifications are subject to change without notice.

Document #: LTRT-26574