


## i86Box

### Flyingvoice SIP Intercom

Flyingvoice i86Box Basic/Indoor/2Line is designed for secure indoor and outdoor operation with IP65 waterproof and dust-resistant. It supports audio intercom, one configurable button and broadcasting function that is suitable to install for hotels, nursing homes, schools, hospitals, apartments, and more with a voice intercom solution to expand security and communication capabilities, meeting various demands of users.



### Features:

- **Easy to install**

It can be easily attached to the type86 surface mount back box for wall installation.

- **Strong compatibility**

Based on SIP standard protocols, it is available for major mainstream IPPBX platforms and can be configured in various security communication solutions.

- **HD voice quality :**




Dual microphone array, advanced acoustic echo cancellation(AEC) and wideband audio codec support including Opus and G.722 to bring you superior sound quality.

- **High protection grade :**

Built with an IP65 waterproof-certified and dust-resistant metal casing for secure indoor and outdoor operation in temperatures between -40 °C to 85 °C.

- **All-in-one platforms :**

Integrated 802.11n 2.4GHz Wi-Fi and support for online management platforms such FACS, FRPS and FDC to configure your device more conveniently even for mass deployment in seconds.

Specifications	i86Box Basic	i86Box Indoor	i86Box 2Line
Appearance			
Function Key	1* Call button	1* Call button 1* Unlock button	2* Call button
Device size	86mm* 86mm*38.8mm ( L*W*H )		
SIP line	2		
HD Voice	√		
Dual microphone array	√		
Speaker	1W8Ω		
Access control	√		
Relay	Relay * 1 , Connect to door locks		
Short circuit ( input± )	Input± * 1 , Connect to indoor switch		
12V DC	√		
POE	√		
TF card slot	1		
Wi-Fi	Integrated 2.4g Wi-Fi		
Local notification broadcast	√		
Integration with Third Party Systems	√		
Direct IP call	√		
Auto Provision	Support FACS, FDC		
Installation	type86 wall mounted		
Application	> Nursing homes, Healthcare, Hotels/apartments, Small-and-medium businesses, Schools, Parking lots for security		
Protection grade	IP65		
Work temperature	-40 ~ 85℃		
Packing list	> i86Box intercom*1,Quick Installation Guide*1, Connector *1,Screw driver*1, Screws*2		
Package	> Qty/CTN : 20 pcs > Giftbox : 137mm*126mm*64mm , Carton meas: 340mm*268mm*298mm		



## About Flyingvoice

Flyingvoice is a leading manufacturer of VoIP phones, VoIP adapters, VoIP gateways and VoIP routers, which are widely used through- out the world and highly praised by international carriers, ITSP, ISP and company users.

Driven by ongoing innovation of VoWLAN, Flyingvoice is committed to make easier VoIP products by enabling the enterprise network and united communication. Our people are continuously improving our products and expanding product applications tailored to clients' requirements, which make you collaborate securely, effectively and efficiently – anytime & anywhere.

## Copyright

Copyright © Flyingvoice Network Technology Co., Ltd. All rights reserved. No parts of this publication may be reproduced or transmit- ted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Flyingvoice Network Technology Co., Ltd.

## Technical Support

Visit [www.flyingvoice.com](http://www.flyingvoice.com) for product documents and FAQ, or contact Flyingvoice by email at [support@flyingvoice.com](mailto:support@flyingvoice.com). We'll get you the help you need.



Flyingvoice Network Technology Co., Ltd. Website: [www.flyingvoice.com](http://www.flyingvoice.com)

Add: 1801-1802, Building 1, Chongwen Park, Nanshan Zhiyuan,

Nanshan District, Shenzhen, China.

Copyright© Flyingvoice Network Technology Co., Ltd. All Rights Reserved