

Items	Model	S1000&K2	Notes
Hardware Specifications			
Size(L x W x H)(mm)		434x42.8x625mm	
Power Consumption		250W	
CPU		Intel® Xeon® E3- 1240 v5 3.5GHz, 8M	
RAM		UDIMM, 2133MT/s, ECC	
Telephony Interface		N/A	Add trunk via Yeastar VoIP Gateway
Support for BRI		N/A	Add trunk via Yeastar VoIP Gateway
Support for GSM/UMTS		N/A	Add trunk via Yeastar VoIP Gateway
Support for E1/T1/J1		N/A	Add trunk via Yeastar VoIP Gateway
Console Port		N/A	
TF Card		N/A	
SD Card		N/A	
USB 2.0		N/A	
Hard Disk		N/A	
WAN		1 (1000Mbps)	
LAN		1 (1000Mbps)	
Software Limitation			
Users		2000	
Extension Group		30	
MAX Length Of extensnion		2-7	
Concurrent Calls		500	
Auto Recording		500	
Trunks		400	
Outbound Routes		256	
Inbound Routes		512	
SLA		50	
Time Condition		40	
Holiday		30	
Voicemail		40000 min(expandable)	
IVR		128	
Ring Group		64	
Members per Ring Group		120	
Call queue		64	
Members per Call queue		120	
Conference Room		64	
Maximum Members of Conference Room		60	
Pickup Group		64	
Members per Pickup Group		Unlimited	
Speed Dial Number		1024	
Call back		256	
DISA		64	
Blacklist		512	
Members per blacklist		50	
Whitelist		512	
Members per whitelist		50	
PIN list		128	
PIN Numbers per PIN list		500	
Paging Group		64	
Members per Paging Group		120	
MOH Playlist		32	
Files per MOH Playlist		8	
Custom Prompts		128	
Notification Contacts		8	
User Permission		2000	
Firewall Rules		512	
Firewall Blacklist		2000	

Certificates	16	
Database Grant	16	
LDAP LIST	16	Default PBX LDAP not included
Contacts per LDAP List	2000	
Backup and Restore	8	
IAX2	yes	
T.38	yes	
SRTP	yes	
Network Drive	4	
Hot standby	yes	
VPN Server Max Clients	N/A	
Linkus	yes	Support 500 clients
VPN Server Max Online Simultaneously	N/A	
Billing	yes	
Conference Panel	yes	
Hotel	yes	

Items	Model	S1000&K2	Notes
Software Limitation			
Room Type		20	
Room		2000	
Room Move		1	
Room Group		1000	
Booking		2000	
Guest		80000	
Holiday		50	
Call Rate		256	
Billing Report		100000	
Mini Bar		99	
Wake-up		48 for each room	

Items	Model	S1000&K2	Notes
Software Limitation			
Account		2000	同分机数
Top up record		20W	
Rate		150	
Task		150	